

## SMALL CENTRIFUGES

8 x 15 ml

# Z 207 A

The small centrifuge Z 207 A is ideal for use in medical practices and laboratories that process a small number of samples. It includes a fixed-angle rotor that can hold up to 8 x 15 ml tubes as well as the most common blood-collection tubes. The innovative control panel with touch function is particularly easy to use and unique in this centrifuge class.



### TECHNICAL SPECIFICATIONS

MAX. SPEED	6,800 rpm
MAX. RCF	4,445 xg
MAX. VOLUME	8 x 15 ml RB / 4 x 15 ml conical
SPEED RANGE	200 – 6,800 rpm
RUNNING TIME	59 min 50 s / 10 s increments or 99 h 59 min / 1 min increments
DIMENSIONS (W X H X D)	28 cm x 24 cm x 35 cm
WEIGHT	8 kg
POWER CONSUMPTION	50 W

### ORDER NUMBERS

326.00 P01 – Z 207 A, 100 – 230 V / 50 – 60 Hz, incl. 8 x 15 ml Rotor



### SPECIFICATIONS

- Microprocessor control with LCD display
- Electromagnetic lid lock
- Quick access to the samples
- Active imbalance detection and shutdown
- Air cooling
- Short acceleration and deceleration times
- Noise level < 60 dBA at max. speed
- Easy removal of the rotor – without tools
- Manufactured in accordance with international safety guidelines, e.g. IEC 61010
- Colour-based visual display of the operating state
- Sleep mode

### ENCLOSED ROTOR

Order number: 221.57 V01



Max. speed: 6,800 rpm

Max. RCF: 4,445 xg

Max. radius: 8.6 cm

Max. Ø: 17 mm

Angle rotor: 8 x 15 ml, Angle: 33°